

On deciding satisfiability by DPLL($\Gamma+\mathcal{T}$) and unsound theorem proving

Maria Paola Bonacina¹

Dipartimento di Informatica
Università degli Studi di Verona
Verona, Italy, EU

22nd Int. Conf. on Automated Deduction (CADE-22), Montréal, Canada

4 August 2009

¹Joint work with **Chris Lynch** and **Leonardo de Moura**

Motivation: reasoning for SW verification

Idea: Unsound theorem proving to get decision procedures

DPLL($\Gamma+\mathcal{T}$) with UTP: SMT-solver+Superposition+UTP

Decision procedures for type systems

Discussion

Motivation: reasoning for SW verification

Idea: Unsound theorem proving to get decision procedures

DPLL($\Gamma+\mathcal{T}$) with UTP: SMT-solver+Superposition+UTP

Decision procedures for type systems

Discussion

Problem statement

- ▶ Decide *satisfiability* of first-order formulæ generated by SW verification tools
- ▶ Satisfiability w.r.t. *background theories* (e.g., linear arithmetic, bitvectors)
- ▶ With *quantifiers* to write, e.g.,
 - ▶ frame conditions over loops
 - ▶ auxiliary invariants over heaps
 - ▶ axioms of *type systems* and
 - ▶ *application-specific theories* without decision procedure

Shape of problem

- ▶ Background theory \mathcal{T}
 - ▶ $\mathcal{T} = \bigcup_{i=1}^n \mathcal{T}_i$, e.g., linear arithmetic, bit-vectors
- ▶ Set of formulæ: $\mathcal{R} \cup P$
 - ▶ \mathcal{R} : set of *non-ground* clauses without \mathcal{T} -symbols
 - ▶ P : large ground formula (set of ground clauses)
may contain \mathcal{T} -symbols
- ▶ Determine whether $\mathcal{R} \cup P$ is *satisfiable* modulo \mathcal{T}
(Equivalently: determine whether $\mathcal{T} \cup \mathcal{R} \cup P$ is *satisfiable*)

Tools

- ▶ Davis-Putnam-Logemann-Loveland (DPLL) procedure for SAT
- ▶ \mathcal{T}_i -solvers: *Satisfiability procedures* for the \mathcal{T}_i 's
- ▶ DPLL(\mathcal{T})-based SMT-solver: *Decision procedure* for \mathcal{T} with *Nelson-Oppen combination* of the \mathcal{T}_i -sat procedures
- ▶ First-order engine Γ to handle \mathcal{R} (additional theory):
Resolution+Rewriting+Superposition: *Superposition-based*

Combining strengths of different tools

- ▶ DPLL: SAT-problems; large non-Horn clauses
- ▶ Theory solvers: linear arithmetic, bitvectors
- ▶ DPLL(\mathcal{T})-based SMT-solver: efficient, scalable, integrated theory reasoning
- ▶ Superposition-based inference system Γ :
 - ▶ equalities, Horn clauses, universal quantifiers
 - ▶ known to be a sat-procedure for several theories of data structures

How to get decision procedures?

- ▶ During SW development conjectures are usually **false** due to mistakes in implementation or specification
- ▶ Need theorem prover that **terminates on satisfiable** inputs
- ▶ Not possible in general:
 - ▶ FOL is only semi-decidable
 - ▶ First-order formulæ of linear arithmetic with uninterpreted functions: not even semi-decidable

However we need less than a general solution.

Problematic axioms do occur in relevant inputs

\sqsubseteq : subtype relation

f : type constructor (e.g., Array-of)

▶ *Transitivity*

$$\neg(x \sqsubseteq y) \vee \neg(y \sqsubseteq z) \vee x \sqsubseteq z$$

▶ *Monotonicity*

$$\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$$

Resolution generates unbounded number of clauses
(even with negative selection)

In practice we need finitely many

Example:

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
2. $a \sqsubseteq b$ generate
3. $\{f^i(a) \sqsubseteq f^i(b)\}_{i \geq 0}$

In practice $f(a) \sqsubseteq f(b)$ or $f^2(a) \sqsubseteq f^2(b)$ often suffice to show satisfiability

Idea: Unsound theorem proving

- ▶ TP applied to maths: most conjectures are *true*
- ▶ Sacrifice *completeness* for efficiency
Retain *soundness*: if proof found, input *unsatisfiable*

Idea: Unsound theorem proving

- ▶ TP applied to maths: most conjectures are *true*
- ▶ Sacrifice *completeness* for efficiency
Retain *soundness*: if proof found, input *unsatisfiable*
- ▶ TP applied to verification: most conjectures are *false*
- ▶ Sacrifice *soundness* for termination
Retain *completeness*: if no proof, input *satisfiable*

Idea: Unsound theorem proving

- ▶ TP applied to maths: most conjectures are *true*
- ▶ Sacrifice *completeness* for efficiency
Retain *soundness*: if proof found, input *unsatisfiable*
- ▶ TP applied to verification: most conjectures are *false*
- ▶ Sacrifice *soundness* for termination
Retain *completeness*: if no proof, input *satisfiable*
- ▶ How do we do it: Additional axioms to enforce termination
- ▶ Detect *unsoundness* as conflict + Recover by *backtracking*
(DPLL framework)

Example

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
2. $a \sqsubseteq b$
3. $a \sqsubseteq f(c)$
4. $\neg(a \sqsubseteq c)$

Example

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$

2. $a \sqsubseteq b$

3. $a \sqsubseteq f(c)$

4. $\neg(a \sqsubseteq c)$

1. Add $f(x) \simeq x$

2. Rewrite $a \sqsubseteq f(c)$ into $a \sqsubseteq c$ and get \square : backtrack!

Example

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
2. $a \sqsubseteq b$
3. $a \sqsubseteq f(c)$
4. $\neg(a \sqsubseteq c)$

1. Add $f(x) \simeq x$
2. Rewrite $a \sqsubseteq f(c)$ into $a \sqsubseteq c$ and get \square : backtrack!
3. Add $f(f(x)) \simeq x$
4. $a \sqsubseteq b$ yields only $f(a) \sqsubseteq f(b)$
5. $a \sqsubseteq f(c)$ yields only $f(a) \sqsubseteq c$
6. Reach saturated state and detect satisfiability

DPLL

State of derivation: $M \parallel F$

- ▶ *Decide*: guess L is true, add it to M (decided literals)
- ▶ *UnitPropagate*: propagate consequences of assignment (implied literals)
- ▶ *Conflict*: detect $L_1 \vee \dots \vee L_n$ all false
- ▶ *Explain*: unfold implied literals and detect decided L_i in conflict clause
- ▶ *Learn*: may learn conflict clause
- ▶ *Backjump*: undo assignment for L_i
- ▶ *Unsat*: conflict clause is \square (nothing else to try)

DPLL(\mathcal{T})

State of derivation: $M \parallel F$

- ▶ \mathcal{T} -Propagate: add to M an L that is \mathcal{T} -consequence of M
- ▶ \mathcal{T} -Conflict: detect that L_1, \dots, L_n in M are \mathcal{T} -inconsistent

Since \mathcal{T}_i -solvers build \mathcal{T} -model:

- ▶ *PropagateEq*: add to M a ground $s \simeq t$ true in \mathcal{T} -model

DPLL($\Gamma+\mathcal{T}$): integrate Γ in DPLL(\mathcal{T})

- ▶ **Idea:** literals in M can be premises of Γ -inferences
- ▶ Stored as *hypotheses* in inferred clause
- ▶ *Hypothetical clause:* $H \triangleright C$ (equivalent to $\neg H \vee C$)
- ▶ Inferred clauses inherit hypotheses from premises

- ▶ **Note:** don't need Γ for ground inferences
- ▶ Use each engine for what is best for:
 - ▶ Γ works on non-ground clauses and ground unit clauses
 - ▶ DPLL(\mathcal{T}) works on all and only ground clauses

DPLL($\Gamma+\mathcal{T}$)

State of derivation: $M \parallel F$

F : set of hypothetical clauses

- ▶ *Deduce*: Γ -inference, e.g., superposition, using *non-ground* clauses in F and literals in M
- ▶ *Backjump*: remove hypothetical clauses depending on undone assignments

Unsound inferences

- ▶ Single unsound inference rule: add *arbitrary* clause C
- ▶ Simulate many:
 - ▶ Suppress literals in long clause $C \vee D$:
add C and subsume
 - ▶ Replace deep term t by constant a :
add $t \simeq a$ and rewrite

Controlling unsound inferences

- ▶ Unsound inferences to induce termination on sat input
- ▶ What if the unsound inference makes problem unsat?!
- ▶ Detect conflict and backjump:
 - ▶ Keep track by adding $\lceil C \rceil \triangleright C$
 - ▶ $\lceil C \rceil$: new propositional variable (a “name” for C)
 - ▶ Treat “unnatural failure” like “natural failure”
- ▶ Thus unsound inferences are *reversible*

Unsound theorem proving in DPLL($\Gamma+\mathcal{T}$)

State of derivation: $M \parallel F$

Inference rule:

- ▶ *UnsoundIntro*: add $\lceil C \rceil \triangleright C$ to F and $\lceil C \rceil$ to M

Example as done by system

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
2. $a \sqsubseteq b$
3. $a \sqsubseteq f(c)$
4. $\neg(a \sqsubseteq c)$

Example as done by system

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$

2. $a \sqsubseteq b$

3. $a \sqsubseteq f(c)$

4. $\neg(a \sqsubseteq c)$

1. Add $\lceil f(x) \simeq x \rceil \triangleright f(x) \simeq x$

2. Rewrite $a \sqsubseteq f(c)$ into $\lceil f(x) \simeq x \rceil \triangleright a \sqsubseteq c$

Example as done by system

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
 2. $a \sqsubseteq b$
 3. $a \sqsubseteq f(c)$
 4. $\neg(a \sqsubseteq c)$
-
1. Add $\lceil f(x) \simeq x \rceil \triangleright f(x) \simeq x$
 2. Rewrite $a \sqsubseteq f(c)$ into $\lceil f(x) \simeq x \rceil \triangleright a \sqsubseteq c$
 3. Generate $\lceil f(x) \simeq x \rceil \triangleright \square$; Backtrack, learn $\neg\lceil f(x) \simeq x \rceil$

Example as done by system

1. $\neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y)$
2. $a \sqsubseteq b$
3. $a \sqsubseteq f(c)$
4. $\neg(a \sqsubseteq c)$

1. Add $\lceil f(x) \simeq x \rceil \triangleright f(x) \simeq x$
2. Rewrite $a \sqsubseteq f(c)$ into $\lceil f(x) \simeq x \rceil \triangleright a \sqsubseteq c$
3. Generate $\lceil f(x) \simeq x \rceil \triangleright \square$; Backtrack, learn $\neg\lceil f(x) \simeq x \rceil$
4. Add $\lceil f(f(x)) \simeq x \rceil \triangleright f(f(x)) \simeq x$
5. $a \sqsubseteq b$ yields only $f(a) \sqsubseteq f(b)$
6. $a \sqsubseteq f(c)$ yields only $f(a) \sqsubseteq f(f(c))$
rewritten to $\lceil f(f(x)) = x \rceil \triangleright f(a) \sqsubseteq c$
7. Reach saturated state and detect satisfiability

Issues about completeness

- ▶ Γ is refutationally complete
- ▶ Since Γ does not see all the clauses, DPLL($\Gamma + \mathcal{T}$) does not inherit refutational completeness trivially

Issues about completeness

- ▶ Γ is refutationally complete
- ▶ Since Γ does not see all the clauses, DPLL($\Gamma + \mathcal{T}$) does not inherit refutational completeness trivially
- ▶ DPLL(\mathcal{T}) has depth-first search: complete for ground SMT problems, not when injecting non-ground inferences
- ▶ Solution: *iterative deepening* on inference depth

Issues about completeness

- ▶ Γ is refutationally complete
- ▶ Since Γ does not see all the clauses, DPLL($\Gamma + \mathcal{T}$) does not inherit refutational completeness trivially
- ▶ DPLL(\mathcal{T}) has depth-first search: complete for ground SMT problems, not when injecting non-ground inferences
- ▶ Solution: *iterative deepening* on inference depth
- ▶ However refutationally complete only for \mathcal{T} empty
Example: $\mathcal{R} = \{x = a \vee x = b\}$, $P = \emptyset$, \mathcal{T} is arithmetic
Unsat but can't tell!

Solution

- ▶ Sufficient condition for refutational completeness with $\mathcal{T} \neq \emptyset$:
 \mathcal{R} be *variable-inactive* (tested automatically by Γ)
 - ▶ it implies stable-infiniteness
(needed for completeness of Nelson-Oppen combination)
 - ▶ it excludes cardinality constraints (e.g., $x = a \vee x = b$)

Solution

- ▶ Sufficient condition for refutational completeness with $\mathcal{T} \neq \emptyset$:
 \mathcal{R} be *variable-inactive* (tested automatically by Γ)
 - ▶ it implies stable-infiniteness
(needed for completeness of Nelson-Oppen combination)
 - ▶ it excludes cardinality constraints (e.g., $x = a \vee x = b$)
- ▶ Use *iterative deepening* on both *Deduce* and *UnsoundIntro* to impose also termination: DPLL($\Gamma+\mathcal{T}$) gets “stuck” at k

How to get decision procedures

To decide satisfiability modulo \mathcal{T} of $\mathcal{R} \cup P$:

- ▶ Find sequence of “unsound axioms” U
- ▶ Show that there exists k s.t. k -bounded DPLL($\Gamma+\mathcal{T}$) is guaranteed to terminate
 - ▶ with *Unsat* if $\mathcal{R} \cup P$ is \mathcal{T} -unsat
 - ▶ in a state which is not stuck at k if $\mathcal{R} \cup P$ is \mathcal{T} -sat

Decision procedures

- ▶ \mathcal{R} has single monadic function symbol f
- ▶ *Essentially finite*: if $\mathcal{R} \cup P$ is sat, has model where range of f is *finite*
- ▶ Such a model satisfies $f^j(x) \simeq f^k(x)$ for some $j \neq k$

Decision procedures

- ▶ \mathcal{R} has single monadic function symbol f
- ▶ *Essentially finite*: if $\mathcal{R} \cup P$ is sat, has model where range of f is *finite*
- ▶ Such a model satisfies $f^j(x) \simeq f^k(x)$ for some $j \neq k$
- ▶ *UnsoundIntro* adds “pseudo-axioms” $f^j(x) \simeq f^k(x)$ for $j > k$
- ▶ Use $f^j(x) \simeq f^k(x)$ as rewrite rule to limit term depth

Decision procedures

- ▶ \mathcal{R} has single monadic function symbol f
- ▶ *Essentially finite*: if $\mathcal{R} \cup P$ is sat, has model where range of f is *finite*
- ▶ Such a model satisfies $f^j(x) \simeq f^k(x)$ for some $j \neq k$
- ▶ *UnsoundIntro* adds “pseudo-axioms” $f^j(x) \simeq f^k(x)$ for $j > k$
- ▶ Use $f^j(x) \simeq f^k(x)$ as rewrite rule to limit term depth
- ▶ Clause length limited by properties of Γ and \mathcal{R}
- ▶ Only finitely many clauses generated: termination without getting stuck

Situations where clause length is limited

Γ : Superposition, Hyperresolution, Simplification

Negative selection: only positive literals in positive clauses are active

- ▶ \mathcal{R} is Horn
- ▶ \mathcal{R} is *ground-preserving*: variables in positive literals appear also in negative literals;
the only positive clauses are ground

Concrete examples of essentially finite theories

Axiomatizations of type systems:

$$\text{Reflexivity} \quad x \sqsubseteq x \quad (1)$$

$$\text{Transitivity} \quad \neg(x \sqsubseteq y) \vee \neg(y \sqsubseteq z) \vee x \sqsubseteq z \quad (2)$$

$$\text{Anti-Symmetry} \quad \neg(x \sqsubseteq y) \vee \neg(y \sqsubseteq x) \vee x \simeq y \quad (3)$$

$$\text{Monotonicity} \quad \neg(x \sqsubseteq y) \vee f(x) \sqsubseteq f(y) \quad (4)$$

$$\text{Tree-Property} \quad \neg(z \sqsubseteq x) \vee \neg(z \sqsubseteq y) \vee x \sqsubseteq y \vee y \sqsubseteq x \quad (5)$$

MI = $\{(1), (2), (3), (4)\}$: type system with *multiple inheritance*

SI = MI \cup $\{(5)\}$: type system with *single inheritance*

Concrete examples of decision procedures

DPLL($\Gamma+\mathcal{T}$) with *UnsoundIntro* adding $f^j(x) \simeq f^k(x)$ for $j > k$ decides the satisfiability modulo \mathcal{T} of problems

- ▶ $MI \cup P$ (MI is Horn)
- ▶ $SI \cup P$ (all ground-preserving except Reflexivity)
- ▶ $MI \cup TR \cup P$ and $SI \cup TR \cup P$ (by combination)

$TR = \{\neg(g(x) \simeq null), h(g(x)) \simeq x\}$

where g represents the *type representative* of a type.

Summary of contributions and directions for future work

- ▶ DPLL($\Gamma+\mathcal{T}$) + unsound TP: termination
- ▶ Decision procedures for type systems with multiple/single inheritance used in ESC/Java and Spec#
- ▶ DPLL($\Gamma+\mathcal{T}$) + variable-inactivity: completeness for $\mathcal{T} \neq \emptyset$ and combination of both built-in and axiomatized theories
- ▶ Extension to more presentations
(e.g., $y \sqsubseteq x \wedge u \sqsubseteq v \supset \text{map}(x, u) \sqsubseteq \text{map}(y, v)$)
- ▶ Avoid duplication of reasoning on ground unit clauses